

WEST Search History

[Hide Items](#)[Restore](#)[Clear](#)[Cancel](#)

DATE: Tuesday, September 14, 2004

Hide?	<u>Set</u> <u>Name</u>	<u>Query</u>	<u>Hit</u> <u>Count</u>
		<i>DB=USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L3	(5862330 5894556 6128660 6148328 6301609 6345297 6411989 6430567 6463471 6487583)! [pn]	10
		<i>DB=USPT; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L2	6697840.pn.	1
		<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	
<input type="checkbox"/>	L1	20000229)	5

END OF SEARCH HISTORY

BEST AVAILABLE COPY

[Previous Doc](#) [Next Doc](#) [Go to Doc#](#)
[First Hit](#) [Fwd Refs](#)

☐ [Generate Collection](#)

L2: Entry 2 of 12

File: USPT

May 29, 2001

DOCUMENT-IDENTIFIER: US 6240455 B1

TITLE: Internet server providing link destination deletion, alteration, and addition

Application Filing Date (1):
19980715

Detailed Description Text (69):

Further, according to the present invention, since the permission of the access right to the server information is determined depending on the class of a user such as an authority level, the presence of the server information can be concealed in a further natural form, and further the management of the access permission for a user can be made more easily.

[Previous Doc](#) [Next Doc](#) [Go to Doc#](#)

BEST AVAILABLE COPY

[Previous Doc](#) [Next Doc](#) [Go to Doc#](#)
[First Hit](#) [Fwd Refs](#)

☐ [Generate Collection](#)

L2: Entry 3 of 12

File: USPT

Jan 9, 2001

DOCUMENT-IDENTIFIER: US 6173418 B1
TITLE: Computer for gathering log data

Application Filing Date (1):
19980413

Detailed Description Text (43):

FIG. 10 is a diagram showing a data structure of the file information class 305. The file information class 305 records a file name, access information before alteration and access information after alteration for a file created or altered by a user. The access information consists of a file creation time, a final modification time, a final access time, a file i-node number, the presence or absence of access permission, UID, a group ID (GID), and a final file size.

[Previous Doc](#) [Next Doc](#) [Go to Doc#](#)

BEST AVAILABLE COPY